

# Material Safety Data Sheet

## 1. Product and company identification

**Product name** : JEFFAMINE® D 400

**MSDS #** 00010081

**Product use** : Production of polymers

Huntsman Petrochemical Corporation  
P.O. Box 4980  
The Woodlands, TX 77387-4980

### TELEPHONE NUMBERS

Transportation Emergency

Company: (800) 328-8501

CHEMTREC: (800) 424-9300

Medical Emergency: (409) 722-9673 (24 Hour)

General MSDS Assistance: (281) 719-6000

Technical Information: (281) 719-7780

E-MAIL: MSDS@huntsman.com

**Validation date** : 7/23/2009.

### In case of emergency

**Spills Leaks Fire or Exposure Call Chemtrec: (800) 424-9300**

**Medical Emergency Information: (800) 328-8501**

**In Mexico: 01 800 00 214 00**

**In Columbia: 01 800 91 6012**

## 2. Hazards identification

**Physical state** : Liquid.

**Odor** : Ammoniacal. [Slight]

**OSHA/HCS status** : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Emergency overview** : DANGER!

CAUSES EYE AND SKIN BURNS. CAUSES RESPIRATORY TRACT IRRITATION.  
MAY BE HARMFUL IF ABSORBED THROUGH SKIN OR IF SWALLOWED.  
ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE.

Corrosive to eyes and skin. Causes burns. May be harmful if absorbed through skin or if swallowed. Irritating to respiratory system. Do not breathe vapor or mist. Do not ingest. Do not get in eyes or on skin or clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling. Aspiration hazard if swallowed. Can enter lungs and cause damage.

**GENERAL INFORMATION** : Read the entire MSDS for a more thorough evaluation of the hazards.

### 3 . Composition/information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>%</u>
Polyoxypropylenediamine	9046-10-0	60 - 100

### 4 . First aid measures

<b>Eye contact</b>	Get medical attention immediately. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
<b>Skin contact</b>	Get medical attention immediately. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
<b>Inhalation</b>	Get medical attention immediately. Move exposed person to fresh air. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
<b>Ingestion</b>	Get medical attention immediately. Wash out mouth with water. Move exposed person to fresh air. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person.
<b>Notes to physician</b>	: Symptomatic and supportive therapy as needed. Following severe exposure medical follow-up should be monitored for at least 48 hours.

### 5 . Fire-fighting measures

<b>Flash point</b>	: Closed cup: 163°C (325.4°F)
<b>Products of combustion</b>	: No specific data.
<b><u>Extinguishing media</u></b>	
<b>Suitable</b>	: Use an extinguishing agent suitable for the surrounding fire.
<b>Not suitable</b>	: None known.
<b>Special exposure hazards</b>	: In a fire or if heated, a pressure increase will occur and the container may burst. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### 6 . Accidental release measures

<b>Personal precautions</b>	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).
<b>Environmental precautions</b>	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

## 6 . Accidental release measures

- Methods for cleaning up** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

## 7 . Handling and storage

- Handling** : Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Storage** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 8 . Exposure controls/personal protection

Consult local authorities for acceptable exposure limits.

- Preventive Measures** : Conditions of use, adequacy of engineering or other control measures, and actual exposures will dictate the need for specific protective devices at your workplace.
- Engineering controls** : Use local exhaust ventilation to maintain airborne concentrations below the TLV. Suitable respiratory equipment should be used in cases of insufficient ventilation or where operational procedures demand it. For guidance on engineering control measures refer to publications such as the ACGIH current edition of 'Industrial Ventilation, a manual of Recommended Practice.'
- Personal protection**
- Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
- Skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Hands** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

## 9 . Physical and chemical properties

### General information

#### Appearance

Physical state	: Liquid.
Color	: Colorless to light yellow.
Odor	: Ammoniacal. [Slight]
Odor threshold	: Not available.

### Important health, safety and environmental information

pH	: 11.6
Boiling point	: 260°C (500°F)
Melting point	: Not available.
Flash point	: Closed cup: 163°C (325.4°F)
Oxidizing properties	: Not available.
Relative density	: 0.97
Solubility	: >10%
Octanol/water partition coefficient	: Not available.
Viscosity	: Kinematic: 0.22 cm <sup>2</sup> /s (22 cSt at 25°C)
Vapor density	: >1 [Air = 1]
VOC content	: Not available.

## 10 . Stability and reactivity

Stability and reactivity	: The product is stable.
Incompatibility with various substances	: Reactive or incompatible with the following materials: acids.
Hazardous polymerization	: Under normal conditions of storage and use, hazardous polymerization will not occur.
Hazardous decomposition products	: No specific data.

## 11 . Toxicological information

### Toxicity data

#### Acute toxicity

Product/ingredient name	test	Species	Result	Exposure
JEFFAMINE® D 400	LD50 Dermal	Rabbit - Male, Female	1555 mg/kg	-
	LD50 Oral	Rat	1100 mg/kg	-

#### Chronic toxicity

Product/ingredient name	test	Species	Result	Exposure
JEFFAMINE® D 400	Sub-acute	Rat - Male,	1000 mg/kg/d	28 days
	NOAEL Dermal	Female		
	Sub-chronic	Rat - Male,	300 mg/kg/d	90 days
	NOAEL Dermal	Female		

#### Mutagenicity

Product/ingredient name	test	Experiment	Result
JEFFAMINE® D 400	OECD 476 <i>In vitro</i> Mammalian Cell Gene Mutation Test	In vitro; Mammalian- Animal; Somatic; +/-	Negative

#### Potential acute health effects

## 11 . Toxicological information

- Ingestion** : Harmful if swallowed. May cause burns to mouth, throat and stomach.  
**Inhalation** : Irritating to respiratory system.  
**Eyes** : Corrosive to eyes. Causes burns.  
**Skin** : Corrosive to the skin. Causes burns. Harmful in contact with skin.

### Potential chronic health effects

- Target organs** : No known significant effects or critical hazards.  
**Carcinogenicity** : No known significant effects or critical hazards.  
**Mutagenicity** : No known significant effects or critical hazards.  
**Teratogenicity** : No known significant effects or critical hazards.  
**Fertility effects** : No known significant effects or critical hazards.  
**Developmental effects** : No known significant effects or critical hazards.

## 12 . Ecological information

### Aquatic ecotoxicity

Product/ingredient name	test	Result	Species	Exposure
JEFFAMINE® D 400	-	Acute EC50 15 mg/L	Daphnia	48 hours
	-	Acute IC50 135 mg/L	Algae	72 hours
	-	Acute LC50 >100 mg/L	Fish	96 hours

### Biodegradability

Product/ingredient name	test	Result	Dose	Inoculum
JEFFAMINE® D 400	-	60 % - Inherent - 28 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
JEFFAMINE® D 400	-	-	Not readily

- Environmental effects** : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Not readily biodegradable.





## 13 . Disposal considerations

- Waste disposal** : The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## 14 . Transport information

**Transportation Emergency Number 1-800-424-9300 (CHEMTREC).**

## 14 . Transport information

Regulatory information	UN number	Proper shipping name	Class	PG*	Label	Additional information
<b>DOT Classification</b>	UN2735	Amines, liquid, corrosive, N.O.S. (Polyoxypropylenediamine)	8	II		-
<b>TDG Classification</b>	UN2735	Amines, liquid, corrosive, n.o.s. (Polyoxypropylenediamine)	8	II		-
<b>IMDG Class</b>	UN2735	Amines, liquid, corrosive, N.O.S. (Polyoxypropylenediamine)	8	II		<b>Emergency schedules (EmS)</b> F-A, S-B
<b>IATA-DGR Class</b>	UN2735	Amines, liquid, corrosive, N.O.S. (Polyoxypropylenediamine)	8	II		-

PG\* : Packing group

## 15 . Regulatory information

### United States

**HCS Classification** : Corrosive material

**U.S. Federal regulations** : **United States inventory (TSCA 8b)**: All components are listed or exempted.

**CERCLA: Hazardous substances.** : No ingredients listed.

**SARA 313** : No ingredients listed.

This product does not contain nor is it manufactured with ozone depleting substances.

**California Prop 65** : This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

### Canada

**WHMIS (Canada)** : Class E: Corrosive material

**CEPA (DSL)** : All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the CPR (Controlled Products Regulations) and this MSDS (Material Safety Data Sheet) contains all the information required by the CPR.

## 16 . Other information


**Label requirements** : CAUSES EYE AND SKIN BURNS. CAUSES RESPIRATORY TRACT IRRITATION. MAY BE HARMFUL IF ABSORBED THROUGH SKIN OR IF SWALLOWED. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE.

**Hazardous Material Information System (U.S.A.)** :

Health	3
Fire hazard	1
Reactivity	0

## 16 . Other information

National Fire Protection Association (U.S.A.) :



Date of printing : 7/23/2009.

Date of issue : 23 July 2009

Date of previous issue : 8/1/2007

Notice to reader

*While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.*

*IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.*

*THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.*

*Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.*

*NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM HUNTSMAN. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET SHOULD BE DIRECTED TO HUNTSMAN, MANAGER, PRODUCT SAFETY AT THE ABOVE ADDRESS.*

**Trademarks:**

JEFFAMINE® is a registered trademark of Huntsman Petrochemical Corporation in one or more countries, but not all countries.

☑ Indicates information that has changed from previously issued version.